

SEQUENCE LISTING

<110> Ho, Chien
Tsai, Ching-Hsuan
Fang, Tsuei-Yun
Shen, Tong-Jian

<120> Low Oxygen Affinity Mutant Hemoglobins

<130> 2000-02

<140> US 09/598,218

<141> 2000-06-21

<160> 7

<170> PatentIn Ver. 2.1

<210> 1

<211> 28

<212> DNA

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: Primer to
introduce betaN108Q mutation into plasmid pHE2

<400> 1

cgtctgctgg gtcaggtact agtttgcg

28

<210> 2

<211> 30

<212> DNA

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: Primer to
introduce mutation alphaD94A into plasmid pHE2

<400> 2

ctgcgtgttg ctccggtcaa cttcaaactg

30

<210> 3

<211> 29

<212> DNA

<213> Artificial Sequence

0998666-110961

<220>

<223> Description of Artificial Sequence: Primer to
introduce betaL105W mutation into plasmid pHE2

<400> 3

ggaaaacttc cgatggctgg gtaacgtac

29

<210> 4

<211> 27

<212> DNA

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: Primer to
introduce betaN108Q mutation into plasmid pHE7

<400> 4

acagaccagt acttggtccca ggagcct

27

<210> 5

<211> 1140

<212> DNA

<213> Human

<400> 5

aaatgagctg ttgacaatta atcatcggct cgtataatgt gtggaattgt gagcggataa 60
caatttcaca caggaaacag aattcgagct cgggtaccgg gctacatgga gattaactca 120
atctagaggg tattaataat gtatcgctta aataaggagg aataacatat ggtgctgtct 180
ctgcccagaca agaccaacgt caaggccgcc tggggtaagg tcggcgcgca cgctggcgag 240
tatggtgcgg aggccctgga gaggatgttc ctgtccttcc ccaccaccaa gacctacttc 300
ccgcacttcg atctgagcca cggctctgcc cagggttaagg gccacggcaa gaagggtggc 360
gacgcgctga ccaacgccgt ggcgacgtg gacgacatgc ccaacgcgct gtccgccttg 420
agcgacctgc acgcgcacaa gcttcgggtg gaccgcgtca acttcaagct cctaagccac 480
tgctgctggtg tgacctggc cgccacctc ccgcgcgagt tcacctctgc ggtgcacgcc 540
tccctggaca agttcctggc ttctgtgagc accgtgctga cctccaaata ccgttaaact 600
agagggattt aataatgtat cgcttaaata aggaggaata acatatggtg cacctgactc 660
ctgaggagaa gtctgccgtt actgccctgt ggggcaagggt gaacgtggat gaagttggtg 720
gtgaggccct gggcaggctg ctggtggtct acccttggac ccagagggtt tttgagtcct 780
ttggggatct gtccactcct gatgtgttta tgggcaaccc taagggtgaag gctcatggca 840
agaaagtgtc cgggtgccttt agtgatggcc tggctcacct ggacaacctc aagggcacct 900
ttgccacact gagtgaagctg cactgtgaca agctgcacgt ggatcctgag aacttcaggc 960
tcttgggaca agtactggtc tgtgtgctgg cccatcactt tggcaaagaa ttcacccac 1020
cagtgcaggc tgcctatcag aaagtgtggt ctggtgtggc taatgccctg gccacaagt 1080
atcactaagc atgcatctgt tttggcggat gagagaagat tttcagcctg atacagatta 1140

<210> 6
<211> 36
<212> DNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: Primer to
introduce betaL105W mutation into plasmid pHE7

<400> 6
cctgagaact tcaggtggct aggcaacgtg ctggtc 36

<210> 7
<211> 1140
<212> DNA
<213> Human

<400> 7
aatgagctg ttgacaatta atcatcggct cgtataatgt gtggaattgt gagcggataa 60
caatttcaca caggaaacag aattcgagct cggtagccgg gctacatgga gattaactca 120
atctagaggg tattaataat gtatcgctta aataaggagg aataacatat ggtgctgtct 180
cctgccgaca agaccaacgt caaggccgcc tggggtaagg tcggcgcgca cgctggcgag 240
tatggtgctg aggccttga gaggatgttc ctgtccttcc ccaccaccaa gacctacttc 300
ccgcacttcg atctgagcca cggctctgcc caggttaagg gccacggcaa gaaggtggcc 360
gacgcgctga ccaacgccgt ggcgcacgtg gacgacatgc ccaacgcgct gtccgccctg 420
agcgacctgc acgcgcacaa gcttcgggtg gacccggtca acttcaagct cctaagccac 480
tgctgtctgg tgacctggc cgcacacctc ccgcgcgagt tcacctctgc ggtgcacgcc 540
tccctggaca agttcctggc ttctgtgagc accgtgctga cctccaaata cgttaaact 600
agaggggtatt aataatgtat cgcttaaata aggaggaata acatatggtg cacctgactc 660
ctgaggagaa gtctgccgtt actgcctgt ggggcaagg gaacgtggat gaagttggtg 720
gtgaggccct gggcaggctg ctggtggtct acccttgac ccagaggttc tttgagtcct 780
ttggggatct gtccactcct gatgctgtta tgggcaaccc taaggatgaag gctcatggca 840
agaaagtgtc cgggtgccttt agtgatggcc tggctcacct ggacaacctc aagggcacct 900
ttgccacact gagtgagctg cactgtgaca agctgcacgt ggatcctgag aacttcaggt 960
ggctaggcaa cgtgctggtc tgtgtgctgg cccatcactt tggcaaagaa ttcacccac 1020
cagtgcaggc tgctatcag aaagtgggtg ctggtgtggc taatgcctg gccacaagt 1080
atcactaagc atgcatctgt tttggcggat gagagaagat tttcagcctg atacagatta 1140